

STATE: Bihar

DATED: 28/8/2009

Draft



Sl. No.	Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by		DGET	Approval by Sub-Committee of NCVT	Remarks
			Instt.	Std. Comm.			
17	Urmila ITC, Gulab Bagh Chowk, Dist. Patna Pin- 802213 Bihar	Electrician	4(2+2)	4(2+2)	*	*	SCIR-30/7/2009 w.e.f Aug 09 *S/D may submit Proof of P.S available along with Electricity Bill.
18	(New Pt) Adarsh ITC, Jaisa More Dist. Aurangabad Bihar	Fitter	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1)	SCIR-21/7/2009 w.e.f Aug 09
19	Arshika ITC, Bahurua Kothi, Kaura Dist. Kaura Pin- 841301 Bihar	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-29/7/2009 **Rejected as space is not available for workshop at one place. (available is 52 Sqm. AS against 194 Sqm.) **Rejected as General Machinery items are short.
20	DGET-6/4/2003-TC Jagdish Singh, Jagdishan Devi ITC, A/P, O. Mahomani, Dist. Saran Bihar	Electrician	4(2+2)	4(2+2)	Addl. 4(2+2)	Addl. 4(2+2)	SCIR-29/7/2009 w.e.f Aug 09
		Fitter	Addl. 4(2+2)	Addl. 4(2+2)	Addl. 4(2+2)	Addl. 4(2+2)	
			Total 8(4+4)	Total 8(4+4)	Total 8(4+4)	Total 8(4+4)	

कोशिली सी. शर्मा
 374 फि. 25 अ. 1317
 डिप्टी डायरेक्टर, प्रशिक्षण
 बिहार राज्य के शिक्षण
 मंत्रालय का कार्यालय, कोशिका नं. 10
 कोशिका नं. 10 कोशिका नं. 10 कोशिका नं. 10
 कोशिका नं. 10 कोशिका नं. 10 कोशिका नं. 10

बिहार

Dated- 19.10.2004

Sl. No.	Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought / recommended by		DGET	Remarks
			Instt.	Std. Comm.		
8	Adarsh ITC, Josthai More, Udyog Pradhikar Campus, Aurangabad- 824101 Bihar	Electrician	Addl 2(1+1)	Addl 2(1+1)	Addl 2(1+1)	SCIR-31.10.2003 w.e.f Aug-2003
		Fitter	Addl 2(1+1)	NR	NC*	*Since not recommended by Std. Committee.
		Welder	One	NR	NC*	
9	Bahudesiya Odhagic Ushaan Samskran ITC, Malangasthan, Hajipur Road, P.O-Susua, Dist- Muzaffarpur-842001, Bihar	Electrician	Addl 2(1+1)	Addl 2(1+1)	Addl 2(1+1)	SCIR-27.10.2003
		Fitter	Addl 4(2+2)	Addl 3(2+1)	Addl 3(2+1)	All three trades w.e.f Aug-2003
		Mech. Electronics	2(1+1)	2(1+1)	Addl 5(3+2)	



Note: As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/PTI management are requested to sponsor 30% instructors every year for training in Trainer Program (in any CTT module) of DGET Field Institute.

Name of State: Bihar
 Date: 28/6/2001

S. No.	Name, Address & File No. of Institute for ref. & correspondence.	Trade	Units sought / Issd.	Which recommended by DGET	Remarks
1	Tribal JTC, Raebareilly, South Railway Colony, Ranchi-Bihar. DGET-6/4/S/2001-TC (New Pw.)	Electrician	Four (2+2)	2(1+1)	SCIR-30-11-2000 w.e.f. August 2000 (Both trades)
2	Adharsh JTC, Josai Mure Udyog Pradhikar Campus, Aurangabad, Bihar DGET-6/4/S/2001-TC (Pw.)	Electrician	Four (2+2)	2(1+1)	S/D may ensure to appointment of S.Study Instructor. SCIR-14-12-2000 w.e.f. August, 2001
3	S.K. Industrial Education ITC, Mochhari, Mohall - Amlapatti, Near - Dharmasany Chowk-Mochhari - P.O., (East Champaran), Pin - 845-401 Bihar DGET-6/4/S/2001-TC (Pw.)	Fitter	2(1+1)	One	SCIR D/- 17.6.92 SIR. dl-20.2.2001 w.e.f. Aug. 99 This clears UC case of April 2000
4	Mukul Electric & Electronics TR. Institute (ITC), Mirganj, Gopalganj-841438 Bihar DGET-6/4/S/2001-TC	Electrician	Four (2+2)	Four (2+2)	SCIR-16-8-92 SIR-8-2-2001 w.e.f. Aug, 98 This clears UC case of

S. No.	Name, Address & File No. of Institute for ref. & correspondence.	Trade	Units for which affiliation sought / recommended by Instt.	Which recommended by DGET	Approval by Sub-Committee of NCVT	Remarks
1	Shahed Prasad Private ITL AT, Madhupur, Sarda, P.O. Sarda, Dist. Madhepura Bihar DGET-6-4415/2010-TC	Electrician	Addl. 8(4+4) Total 12(6+6)	Addl. 8(4+4) Total 12(6+6)	Addl. 8(4+4) Total 12(6+6)	SCIR-4/5/20 w.e.f. Aug 2
2	Adharsh Private ITL AT, Growth Centre, Jaisai Mure, P.O. Aurangabad Dist. Aurangabad Bihar DGET-6/4/4/2001-TC (Pw. File)	Electrician	Addl. 8(4+4) Total 12(6+6)	Addl. 8(4+4) Total 12(6+6)	Addl. 8(4+4) Total 12(6+6)	SCIR-5/4/201 w.e.f. Aug 20
3	Vikramshila Private ITL, At. Rajapur, P.O. Amlal Dist. Amlal Bihar DGET-6/4/27/2011-TC (New Pw.)	Fitter	Addl. 4(2+2) Total 4(2+2)	Addl. 4(2+2) Total 4(2+2)	Addl. 4(2+2) Total 4(2+2)	SCIR-26/4/201 w.e.f. Aug 201
4	S.K. Institute of Technology, Ashyana Digna Road, Dist. Patna Bihar DGET 6/4/4/91-TC (Pw. File)	Electrician	Addl. 4(2+2) Total 8(4+4)	Addl. 4(2+2) Total 8(4+4)	Addl. 4(2+2) Total 8(4+4)	SCIR-26/4/201 w.e.f. Aug 2011

-1-

Request the management to sponsor 30% instructors every year for training in Trainer Program (in any CTT module) of DGET Field Institute.
 Ministry of Labour & Employment
 as per/Name/Date